

Feature		Windows 1812	Windows Store	Windows 4.9 LTSR	Windows 4.4 LTSR	Linux 1810	Mac 1812	iOS 1812	Android 1812	HTML5 1812	Chrome-OS 1812
Supported version of OS		Win 7-10	Win 10	Win 7-10	Win 7-10	Multiple	10.11 and above	10 and above	4.0 and up	Chrome/Firefox/IE10+/Safari	latest
Citrix Workspace	Citrix Virtual Apps	•	•	•	•	•	•	•	•	•	•
	Citrix Virtual Desktops	•	•	•	•	•	•	•	•	•	•
	Citrix Content Collaboration (Citrix Files)	•	•				•	•	•	•	•
	Citrix Access Control Service	•					•				
	Citrix Workspace Browser	•					•				
	SaaS/Webapps with SSO	•	•	•	•	•	•	•	•	•	•
	Citrix Mobile Apps							•	•		
Endpoint Management	Auto configure using DNS for Email Discovery	•	•	•	•		•	•	•		
	Centralized Management Settings	•	•	•	•	•					•
	App Store Updates / Citrix Auto updates	•	•				•	•	•		•
UI	Desktop Viewer/Toolbar	•	•	•	•	•	•	•	•	•	•
	Multi-tasking	•	•	•	•	•	•	•		•	•
	Follow Me Sessions (Workspace Control)	•	•	•	•	•	•	•		•	•
HDX Host Core	Adaptive transport	•	•	•	•	•	•	•	•		
	SDWAN support	•	•	•	•	•	•			•	•
	Session reliability	•	•	•	•	•	•	•	•	•	•
	Auto-client Reconnect	•	•	•	•	•	•		•		
	Bi-directional Content redirection	•		•						•	•
	URL redirection	•		•	•	•	•			•	•
	File open in Citrix Workspace app	•		•	•	•			•		•
	Browser content redirection	•				•					
HDX IO / Devices / Printing	Local Printing	•	•	•	•	•	•			•	•
	Generic USB Redirection	•		•	•	•	•	•			•
	Client drive mapping / File Transfer****	•		•	•	•	•		•	•	•
HDX Integration	Local App Access	•	•	•	•						
	Multi-touch	•	•	•	•			•	•	•	•
	Mobility Pack	•	•	•	•			•	•	•	•
	HDX Insight	•	•	•	•	•	•	•		•	•
	EUEM Experience Matrix	•	•	•	•	•	•			•	•
	Session Sharing	•	•	•	•	•	•	•	•	•	•
HDX Multi-media	Audio Playback	•	•	•	•	•	•	•	•	•	•
	Bi-directional Audio (VoIP)	•	•	•	•	•	•				•
	Web-cam redirection	•	•	•	•	•	•				•
	Video playback	•	•	•	•	•	•	•	•	•	•
	Flash redirection	•	•	•	•	• (x86 only)					
	Skype for business Optimization pack	•	•	•	•	•	•				
	Cisco Jabber Unified Communications Optimization	•		•	•	•					
	Windows Multimedia redirection	•	•	•	•	•	•				
HDX Graphics	UDP Audio	•	•	•	•	•	•				
	H.264-enhanced SuperCodec	•	•	•	•	•	•	•	•	•	•
	Client hardware acceleration	•	•	•	•	•	•				•
	3DPro Graphics	•	•	•	•	•	•	•	•	•	•
	External Monitor Support	•	•	•	•	•	•	•	•	•	•
	Desktop Composition redirection	•	•	•	•		0				
	True Multi Monitor	•	•	•	•	•	•			•	•
	Location Based Services (Location available via API-description)	•	•	•	•			•	•		
Authentication	Federated Authentication (SAML/Azure AD)	•	•	•	•	•	•	•	•	•*	•
	NetScaler Full VPN	•	•	•	•	•	•				
	RSA Soft Token							•	•		
	Challenge Response SMS (Radius)	•	•	•	•		•				
	User Cert Auth via NetScaler Gateway (via Browser Only)	•	•	•	•		•	•			
	Smart Card (CAC,PIV Etc.)	•	•	•	•	•	•	•	•		•
	Proximity/Contactless Card	•		•	•	•					•
	Credential insertion (E.g.. Fast Connect, Storebrowse)	•		•	•	•					•
	Pass Through Authentication	•									
	Save credentials *(on prem and only SF)	•		•	•		•				
	NetScaler nFactor Authentication	•				•	•		•		
	Netscaler Native OTP	•				•	•		•		
	Biometric Authentication (Touch ID, Face ID..)							•	•		
	Single Sign-On to Citrix Files App	•					•	•	•		
	Single Sign on to Citrix Mobile apps							•	•		
Anonymous Store Access	•	•	•	•	•	•	•	•	•	•	

Feature		Windows	Windows Store	Windows 4.9 LTSR	Windows 4.4 LTSR	Linux	Mac	iOS	Android	HTML5	Chrome-OS
Supported version of OS		Win 7-10	Win 10	Win 7-10	Win 7-10	Multiple	10.11 and above	10 and above	4.0 and up	Chrome/Firefox/IE10+/Safari	latest
Security	TLS 1.2	●	●	●	●	●	●	●	●	●	●
	TLS 1.0/1.1	●	●	●	●	●	●	●	●	●	●
	DTLS 1.0	●	●	●	●	●	●	●	●	●	●
	DTLS 1.2	●	●	●	●	●	●	●	●	●	●
	SHA2 Cert	●	●	●	●	●	●	●	●	●	●
	Smart Access	●	●	●	●	●	●	●	●	●	●
	Remote Access via Citrix Gateway	●*	●	●*	●*	●	●	●	●	●	●
	Workspace for Web Access	●	●	●	●	●	●	Via ICA file	●	●	●
IPV6	●	●	●	●	●	●	●	●	●	●	

Indicators	
●	Blue dot indicates supported features In case of Windows store column Blue Dot indicates feature is supported for devices such as Windows 10 S, PC, IoT Enterprise, Surface hub, mixed reality headsets, IoT Core, Windows 10 Phone supporting windows 10 OS.
●	Grey dot indicates feature is supported for devices such as Windows 10 S, PC, IoT Enterprise supporting windows 10 OS only
*	StoreFront Only.
**	HDX 3D Pro reverts to JPEG for these Citrix Workspace apps. 3 Mbps is recommended compared to 1.5 Mbps with H.264 Deep Compression.
****	File transfer feature applies to Workspace app for HTML5/Chrome only as these Workspace app don't support Client Drive mapping
0	Deprecated in the latest release.

[For more information on Citrix Workspace app on Windows Store refer here](#)

Feature Definitions		
Citrix Workspace Aggregation	Citrix Virtual Apps	Access Citrix Virtual Apps formerly known as XenApp hosted applications.
	Citrix Virtual Desktops	Access Citrix Virtual Desktops formerly known as XenDesktop virtual desktops.
	Citrix Content Collaboration (Citrix Files)	Access Citrix Files formerly known as Citrix ShareFile
	Citrix Access Control Service	With the Access Control service IT administrators can govern access to approved SaaS apps with a simplified single sign-on experience administrators can also protect the organization's network and end user devices from malware and data leaks by filtering access to specific websites and website categories.
	Citrix Workspace Browser	Embedded Browser engine inside Citrix Workspace app to deliver SaaS and WebApps securely
	SaaS/Web Apps with SSO	Access SaaS/Web Apps configured using NetScaler Gateway Service with SSO
	Citrix Mobile Apps	Access Citrix Mobile Apps aggregated by Citrix Endpoint Management formerly known as XenMobile
	Citrix Mobile App Upgrades	Access Citrix Mobile Apps aggregated by Citrix Endpoint Management formerly known as XenMobile
Endpoint Management	Auto configure using DNS for Email Discovery	Enable Citrix Workspace app to be configured via auto discovered settings.
	Centralized Management Settings	App setting from a centralized service e.g.: Google chrome management or GPOs
	Auto Discovery/Configuration	Enable Citrix Workspace app to be configured via auto discovered settings.
	App Store Updates / Citrix Auto updates	Updates from vendor application store and for Windows and Mac through Citrix Auto-upgrade functionality
UI	Desktop Viewer/Toolbar	Enables in session control of session functions like sending Ctrl+Alt+Del via a toolbar.
	Multi-tasking	Enable multiple apps and desktop to be used at the same time
	Follow Me Sessions (Workspace Control)	Allows users to move between devices and automatically connect to all of their sessions.
HDX Host Core	Adaptive transport	Enables EDT transport for HDX for improved throughput independent of network conditions
	SDWAN support	Enables SDWAN acceleration for QoS, TCP, compression and de-duplication.
	Session reliability	Keeps sessions active and on the user's screen when network connectivity is interrupted.
	Auto-client Reconnect	Prompts and reconnects the session on connection interruption .
	Bi-directional Content redirection	Enable client to host and host to client URL redirection.
	URL redirection	Allows running of applications locally on client.
	File open in Citrix Workspace app	Allows opening a local file in Citrix Workspace app using hosted application (Client to Server Content Redirection).
	Browser content redirection	Enables an entire webpage (a browser's viewport) to be redirected to the endpoint for local rendering, offloading the server.
Multiport ICA	Allows support for multiple TCP ports for HDX traffic to improve the quality of service.	

HDX IO / Devices / Printing	Local Printing	Enables users to print documents via shared or local printers.
	Generic USB Redirection	Enables use of USB devices inside the session.
	Client drive mapping / File Transfer****	Enables use of client drives inbuilt or attached for data storage.
HDX Integration	Local App Access	Access the local application on client device inside the session.
	Multi-touch	Enables ten finger multi-touch control of Windows/Linux desktops and apps.
	Mobility Pack	Enables native device experience features (e.g., auto popup keyboard and local device UI controls) and tablet-optimized desktops.
	HDX Insight	Provides visibility into the session startup/end times using ICA network performance metrics. For workspace app for ios we support the new NSAP virtual channel for HDX insights
	EUEM Experience Matrix	Provides Citrix administrators visibility into the logon duration metrics via Citrix Virtual Desktop formerly known as XenDesktop 7 Director.
	Session Sharing	Enables published application to be executed over the same connection as other published applications when already running on the same server.
HDX Multi-media	Audio Playback	Enables server rendered audio playback.
	Bi-directional Audio (VoIP)	Enables use of hosted softphone / voice chat collaboration applications.
	Web-cam redirection	Enables use of video chat collaboration applications using a local webcam.
	Video playback	Enable viewing of recorded videos.
	Flash redirection	Enables Flash content to be rendered using a local Flash Player.
	Skype for business Optimization	Offloads Skype for business media processing from the Citrix server to the user device.
	Cisco Jabber Unified Communications Optimization	Offloads Jabber media processing from the Citrix server to the user device.
	Windows Multimedia redirection	Enables Windows Multimedia to be rendered on the user device, offloading the server.
	UDP Audio	Support for audio input and output over UDP .
HDX Graphics	H.264-enhanced SuperCodec	Enables streamlined delivery of applications using XenApp/Desktop 7.X H264-enhanced Supercodec.
	Client hardware acceleration	Enables hardware acceleration for HDX features like graphics, webcam etc. The leverage of hardware capability vary with different Citrix Workspace apps
	3DPro Graphics	Enables use of 3D professional graphics applications hosted in the data center.
	External Monitor Support	Enables use of an external monitor.
	Desktop Composition redirection	Enables graphics command remoting to client for rendering to ensure server scalability. Deprecated in Receiver for Mac 12.9 release.
	True Multi Monitor	XenApp/ XenDesktop creates the same number of monitors as supported by the client.
	Location Based Services (Location available via API-description)	Enables location informations to be used by applications delivered by Citrix Virtual Desktops earlier known as XenDesktop.
Security	TLS 1.2	Successor to SSL, strong communication channel security.
	TLS 1.0/1.1	Successor to SSL, strong communication channel security.
	DTLS 1.0	DTLS is a derivation of SSL protocol. It provides the same security services (integrity, authentication and confidentiality) but under UDP protocol.
	DTLS 1.2	DTLS is a derivation of SSL protocol. It provides the same security services (integrity, authentication and confidentiality) but under UDP protocol.
	SHA2 Cert	Ability to use SHA2 Certificates.
	Smart Access	Controls access to available applications through the use of NetScaler Gateway policies and filters.
	Remote Access via Citrix Gateway (NetScaler Gateway)	Provides users with secure access to enterprise applications, virtual desktops, and data anywhere without a VPN client.
	Workspace for Web Access	Access to hosted applications or virtual desktops using a browser.
	IPV6	Enables use on IPV6 networks.

<b>Authentication</b>	<b>Federated Authentication (SAML/Azure AD)</b>	Enables FAS server the authentication of a user to be delegated to the Microsoft ADFS server (or other SAML-aware IdP) either by Azure AD or SAML
	<b>NetScaler Full VPN</b>	Builds full VPN tunnel for NetScaler Gateway.
	<b>RSA Soft Token</b>	Enables simplified authentication when using RSA Soft Tokens.
	<b>Challenge Response SMS (Radius)</b>	Enables use of challenge response authentication for example the use of SMS passcodes.
	<b>User Cert Auth via NetScaler Gateway (via Browser Only)</b>	Enable use of users certificates as one factor for authentication with NetScaler Gateway. This is for browser based authentication on Windows and Linux
	<b>Smart Card (CAC,PIV Etc.)</b>	Enable use of standard PC/SC compatible cryptographic smart card for authentication and signing.
	<b>Proximity/Contactless Card</b>	Enable users to use Citrix applications or Desktops by authenticating with proximity or contactless smart card.
	<b>Credential insertion (E.g.: Fast Connect, StoreBrowse)</b>	Enable users to use Citrix applications or Desktops by authenticating with proximity or contactless smart card. Storebrowse is a command-line utility tool available with Citrix Workspace app for Windows that you can use to customize Citrix Workspace app by scripting the storebrowse utility.
	<b>Pass Through Authentication</b>	User credentials are passed to a Web Interface site and then to the Citrix Virtual Apps and Desktops formerly known as XenApp/XenDesktop servers, preventing users from having to explicitly authenticate at any point during the Citrix application launch process.
	<b>Save credentials *(on prem and only SF)</b>	Enables save credentials for on-prem and only using Citrix storefront
	<b>Netscaler Native OTP</b>	NetScaler Gateway supports one-time passwords (OTPs) without having to use a third-party server, by keeping the entire configuration on the NetScaler appliance.
	<b>NetScaler nFactor Authentication</b>	nFactor authentication enables dynamic authentication flows based on the user profile. In some cases, these could be simple flows to be intuitive to the user. The minimum version of Netscaler required is 12.1.49.x
	<b>Biometric Authentication (Touch ID, Face ID..)</b>	Enables Bio-metric Authentications such as Touch ID and Face ID
	<b>Single Sign-On to Citrix Files App</b>	Enables Single-Sign-on to Citrix Files app formerly known as Sharefile
	<b>Single Sign on to Citrix Mobile apps</b>	Enables Single-Sign-on to Citrix Files app formerly known as Sharefile
<b>Anonymous Authentication</b>	Support access for unauthenticated (anonymous) users	

\* The development, release and timing of any features or functionality described for our products remains at our sole discretion. The information provided here is for informational purposes only and is not a commitment, promise or legal obligation to deliver any material, code or functionality and should not be relied upon in making purchasing decisions or incorporated into any contract. The development, release and timing of any features or functionality described for our products remains at our sole discretion and are subject to change without notice or consultation.